

JC715 U.S. PTO
06/23/00

Patent
Attorney's Docket No. 003300-650

JC714 U.S. PTO
09/599563
06/23/00

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

UTILITY PATENT
APPLICATION TRANSMITTAL LETTER

Box PATENT APPLICATION
Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

Enclosed for filing is the utility patent application of Eva Ingegerd Ejerhed and Peter A. Braroe for METHOD AND SYSTEM FOR INFORMATION EXTRACTION.

Also enclosed are:

- ☒ 3 sheet(s) of ☒ formal ☐ informal drawing(s);
- ☒ a claim for foreign priority under 35 U.S.C. §§ 119 and/or 365 is ☒ hereby made to 0002368-9 filed in Sweden on June 22, 2000; ☒ in the declaration;
- ☐ a certified copy of the priority document;
- ☐ a General Authorization for Petitions for Extensions of Time and Payment of Fees;
- ☒ 1 statement(s) claiming small entity status;
- ☒ an Assignment document;
- ☐ an Information Disclosure Statement; and
- ☐ Other: _____
- ☒ An ☒ executed ☐ unexecuted declaration of the inventor(s) ☒ also is enclosed ☐ will follow.
- ☐ Please amend the specification by inserting before the first line the sentence --This application claims priority under 35 U.S.C. §§119 and/or 365 to filed in on ; the entire content of which is hereby incorporated by reference.--
- ☐ A bibliographic data entry sheet is enclosed.



21839

☒ The filing fee has been calculated as follows [] and in accordance with the enclosed preliminary amendment:

CLAIMS					
	NO. OF CLAIMS		EXTRA CLAIMS	RATE	FEE
Basic Application Fee					\$690.00 (101)
Total Claims	20	MINUS 20 =	0	x \$18.00 (103)	0.00
Independent Claims	2	MINUS 3 =	0	x \$78.00 (102)	0.00
If multiple dependent claims are presented, add \$260.00 (104)					0.00
Total Application Fee					\$690.00
If verified Statement claiming small entity status is enclosed, subtract 50% of Total Application Fee					\$345.00
Add Assignment Recording Fee if Assignment document is enclosed					40.00
TOTAL APPLICATION FEE DUE					\$385.00

- ☐ This application is being filed without a filing fee. Issuance of a Notice to File Missing Parts of Application is respectfully requested.
- ☒ A check in the amount of \$ 385.00 is enclosed for the fee due.
- ☐ Charge \$ _____ to Deposit Account No. 02-4800 for the fee due.
- ☒ The Commissioner is hereby authorized to charge any appropriate fees under 37 C.F.R. §§ 1.16, 1.17 and 1.21 that may be required by this paper, and to credit any overpayment, to Deposit Account No. 02-4800. This paper is submitted in duplicate.

Please address all correspondence concerning the present application to:

Benton S. Duffett, Jr.
Burns, Doane, Swecker & Mathis, L.L.P.
P.O. Box 1404
Alexandria, Virginia 22313-1404.

Respectfully submitted,

BURNS, DOANE, SWECKER & MATHIS, L.L.P.

Date: June 23, 2000

By: Benton S. Duffett Jr.
Benton S. Duffett, Jr.
Registration No. 22,030

P.O. Box 1404
Alexandria, Virginia 22313-1404
(703) 836-6620

Applicant or Patentee: Eva Inggerd Eierhed, Peter A. Braroe

Application or Patent No.: _____

Filed or Issued: June 23, 2000

For: METHOD AND SYSTEM FOR INFORMATION EXTRACTION

**VERIFIED STATEMENT (DECLARATION) CLAIMING SMALL ENTITY STATUS
(37 C.F.R. §§ 1.9(f) AND 1.27(c)) - SMALL BUSINESS CONCERN**

I hereby declare that I am

- ☐ the owner of the small business concern identified below;
- ☐ an official of the small business concern empowered to act on behalf of the concern identified below:

NAME OF CONCERN Hapax Information Systems AB

ADDRESS OF CONCERN Blekingegatan 48, 116 62 STOCKHOLM, Sweden

I hereby declare that the above-identified small business concern qualifies as a small business concern as defined in 37 C.F.R. § 1.21 for purposes of paying reduced fees under Sections 41(a) and 41(b) of Title 35, United States Code, in that the number of employees of the concern, including those of its affiliates, does not exceed 500 persons. For purposes of this statement, (1) the number of employees of the business concern is the average, over the previous fiscal year of the concern, of the persons employed on a full-time, part-time, or temporary basis during each of the pay periods of the fiscal year, and (2) concerns are affiliates of each other when either, directly or indirectly, one concern controls or has the power to control the other, or a third party or parties controls or has the power to control both.

I hereby declare that rights under contract or law have been conveyed to and remain with the small business concern identified above with regard to the invention entitled by inventor(s) Matte Axelsen and Ulf Smith described in

- ☒ the specification filed herewith
- ☐ Application No. _____, filed _____
- ☐ Patent No. _____, issued _____

If the rights held by the above-identified small business concern are not exclusive, each individual, concern, or organization having rights to the invention is listed below,* and no rights to the invention are held by any person, other than the inventor, who would not qualify as an independent inventor under 37 C.F.R. § 1.9(c), or by any concern that would not qualify as either a small business concern under 37 C.F.R. § 1.9(d) or a nonprofit organization under 37 C.F.R. § 1.9(e).

*NOTE: Separate verified statements are required from each named person, concern, or organization having rights to the invention averring to their status as small entities. (37 C.F.R. § 1.27.)

Application No. _____
Attorney's Docket No. 003300-650

NAME _____

ADDRESS _____
☐ individual ☐ small business concern ☐ nonprofit organization

NAME _____

ADDRESS _____
☐ individual ☐ small business concern ☐ nonprofit organization


I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earlier of the issue fee and any maintenance fee due after the date on which status as a small entity is no longer appropriate. (37 C.F.R. § 1.28(b).)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code; and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

NAME OF PERSON SIGNING Peter A. Braroe

TITLE OF PERSON OTHER THAN OWNER Chief Executive Office

ADDRESS OF PERSON SIGNING Blekingegatan 48, 116 62, STOCKHOLM, Sweden

SIGNATURE  DATE 2/6-00

METHOD AND SYSTEM FOR INFORMATION EXTRACTION

Field of the Invention

The present invention relates to the field of information retrieval from unrestricted text in different languages. Specifically, the present invention relates to
5 a method, and a corresponding system, for extracting information from a natural language text corpus based on a natural language query.

Background of the Invention

10 The field of automatic retrieval of information from a natural language text corpus has in the past been focused on the retrieval of documents matching one or more key words given in a user query. As an example, most conventional search engines on the Internet use Boolean
15 search for matches with the key words given by the user. Such key words are standardly considered to be indicative of topics and the task of standard information retrieval system has been seen as matching a user topic with document topics. Due to the immense size of the text
20 corpus to be searched in information retrieval systems today, such as the entire text corpus available on the Internet, this type of search for information has become a very blunt tool for information retrieval. A search will most likely result in an unwieldy number of
25 documents. Thus, it will take a lot of effort from the user to find the most relevant documents among the documents retrieved. Furthermore, due to the ambiguity of words and the way they are used in a text, many of the documents retrieved will be irrelevant. This will make it
30 even more difficult for the user to find the most relevant documents.

The performance of an information retrieval system is usually measured in terms of its recall and its precision. In information retrieval, the technical term recall has a standard definition as the ratio of the
5 number of relevant documents retrieved for a given query over the total number of relevant documents for that query. Thus, recall measures the exhaustiveness of the search results. Furthermore, in information retrieval, the technical term precision has a standard definition as
10 the ratio of the number of relevant documents retrieved for a given query over the total number of documents retrieved. Thus, precision measures the quality of the search results. Due to the many documents retrieved when using the above type of search methods, it has been
15 realised within the art that there is a need to reduce the number of retrieved documents to the most relevant ones. In other words, as the number of documents in the text corpus increases, recall becomes less important and precision becomes more important. Thus, suppliers of
20 systems for information retrieval have enhanced Boolean search by using relevance ranking metrics based on statistical methods. However, it is well known that thus highly ranked documents still comprise irrelevant documents. This is due to the fact that the matching is
25 too coarse and does not take the context in which the matching words occur into account. In order to find the documents that are relevant to a user query, there is a need for the information retrieval system to in some way understand the meaning of a natural language query and of
30 the natural language text corpus from which the information is to be extracted.

There are proposals within the art of how to create an information retrieval system that can find documents in a natural language text corpus that match a natural
35 language query with respect to the semantic meaning of the query.

Some of these proposals relate to systems that have been extended with specific world knowledge within a given domain. Such systems are based on an extensive database of world knowledge within a single area.

- 5 Creating and maintaining such databases of world knowledge is a well-known knowledge engineering bottleneck. Furthermore, such databases scale poorly and a database within one domain can not be ported to another domain. Thus, it would not be feasible to extend such a
10 system to a general application for finding information in unrestricted text, which could relate to any domain.

- Other proposals are based on underlying linguistic levels of semantic representation. In these proposals, instead of using verbatim matching of one or more key
15 words, a semantic analysis of the natural language text corpus and the natural language query is performed and documents are returned that match the semantic content meaning of the query. However, creating a deep level semantic representation of very large natural language
20 text corpora is a complex and demanding task. This is due to a multi-level representation of the text, different analysis tools for different levels and propagation of errors from one level to another. Because representations at different levels are interdependent and for reasons
25 given above the resulting analyses will be fragile and error prone.

Summary of the Invention

- An objective of the present invention is to provide
30 an improved method, and a corresponding system, for extracting information from a natural language text corpus, that is not subject to the foregoing disadvantages of existing methods for these tasks. This object is achieved by a method and a system according to
35 the accompanying claims.

The present invention is based on the recognition that there is a close relationship 1) between the

syntactic relations between constituents in clauses and sentences in a natural language text corpus and the semantic relations between them and 2) between word tokens within constituents and the structural and semantic relations between them. More specifically, the present invention is based on the recognition that these syntactic-semantic relationships can be used when matching a natural language query with a natural language text corpus to find text portions in the natural language text corpus that have the same meaning as the natural language query.

According to one aspect of the invention a method for extracting information from a natural language text corpus based on a natural language query is provided. In the method the natural language text corpus is analyzed with respect to surface structure of word tokens and surface syntactic roles of constituents, and the analyzed natural language text corpus is then indexed and stored. Furthermore a natural language query is analyzed with respect to surface structure of word tokens and surface syntactic roles of constituents. From the analyzed natural language query one or more surface variants are then created, where these surface variants are equivalent to the natural language query with respect to 1) lexical meaning of word tokens and 2) surface syntactic roles of constituents. The surface variants are then compared with the indexed and stored analyzed natural language text corpus, and each portion of text comprising a string of word tokens that matches the one of said surface variants or said natural language query is extracted from the indexed and stored analyzed natural language text corpus.

In "surface structure of word tokens" and "surface syntactic roles of constituents" the term "surface" indicates that the word tokens and constituents are considered as they appear and in the order they appear in the text, and the term "constituents" refers to the basic parts of the text, such as word tokens, phrases etc. An

important property of these features is that they can be found using a single-level analysis, e.g. using shallow parsing. For example the constituents always consist of word tokens that are contiguous in the text.

5 By analyzing the natural language query with respect to surface structure of word tokens and surface syntactic roles of constituents it is possible to create surface variants of the analyzed natural language query that maintain the lexical meaning of word tokens and the
10 surface syntactic roles of constituents. These variants together with the natural language query form a set of alternative ways of expressing the same meaning as the original natural language query. The creation of variants utilizes the fact that the surface syntactic roles of the
15 constituents together with the lexical meaning of the word tokens are closely connected to the meaning of a natural language text unit, such as a sentence, phrase or clause. The variants that have been created are then compared with an indexed and stored analyzed text corpus,
20 where the natural language text corpus has been analyzed in the same manner as the natural language query. Since not only the natural language query, but all variants as well are compared, the number of matches is increased relative to what it would be if the matching were
25 verbatim. However, due to the fact that the lexical meaning of word tokens and the surface syntactic roles of constituents are preserved in the variants of the natural language query, it is ensured that matches in the natural text corpus have the same meaning as the natural language
30 query.

One advantage of the invention is that it uses a single-level analysis of the natural language text corpus and the natural language query, as opposed to known methods that use multi-level analyses, which makes the
35 invention faster and more reliable. At the same time, its precision is high and the amount of retrieved information is manageable. Furthermore, the creation of variants

makes it possible to minimize the amount of work carried out during the comparison of the natural language query with the natural language text corpus. The analysis of the natural text corpus can be done in advance and be
 5 stored in an index. This limits the analysis to be done in real time to the analysis of the natural language query. Thus, the method according to the invention is significantly faster than the known methods using linguistic analysis.

10 In an embodiment of the invention the surface syntactic roles of constituents are head and modifier roles, and grammatical relations. By maintaining these roles when creating surface variants of the natural language query the surface variants will express the same
 15 meaning as the natural language query.

In another embodiment of the invention, a string of word tokens in said indexed and stored analyzed natural language text corpus matches one of the surface variants, or the analyzed natural language query, if it comprises
 20 the head words of phrases bearing the grammatical relations of subject, object, and the lexical main verb in said one of the surface variants or the analyzed natural language query in the same linear order as in
 25 said one of the surface variants or the analyzed natural language query. In this way the matching becomes straightforward and thus, the method becomes faster. It is to be noted that the number of variants created may be reduced when at the same time the matching is relaxed. However, there is always a trade-off between the time for
 30 the analysis that needs to be done during matching and the time for matching a number of variants.

In a preferred embodiment, the analysis of the natural language text corpus and the natural language query comprises the steps of determining a morpho-
 35 syntactic description for each word token, locating phrases, determining a phrase type for each of the phrases, and locating clauses. Furthermore, for each word

token of said natural language text corpus, a unique word token location identifier is provided and information regarding the location of each word token, each phrase of each type, and each clause in said natural language text corpus is stored, based on said unique word token location identifiers. The information regarding the location of a word token is preferably a word type associated to the word token and its unique word token location identifier logically linked to the stored associated word type. In this way each word type is only stored once instead of storing each word token of the natural language text corpus. This is especially advantageous in cases where the natural language text corpus is large. Furthermore, the information regarding the location of a phrase is preferably the phrase type of the phrase and a unique phrase location identifier logically linked to the stored phrase type, wherein the unique phrase location identifier identifies the word tokens spanned by the phrase. The information regarding the location of a clause is preferably a unique clause location identifier identifying the word tokens and phrases spanned by the clause. Similar identifiers are preferably stored for sentences, paragraphs and documents located in the natural text corpus. In this embodiment the matching is significantly simplified since a word token in a natural language query can be matched with word tokens in the natural language text corpus by finding the word type of the word token and directly extracting the stored word token identifiers associated with this word type. Furthermore, the phrase type of the word token in the natural language query is then used to see if any of the matching word tokens in the natural language text corpus is included in a phrase of the same type. This is easily done since the stored unique phrase location identifiers, which are associated with this phrase type, identifies the word tokens that are spanned by each phrase.

Furthermore, in yet another embodiment, the portion of text that is extracted is either the matching string of word tokens, a clause comprising the matching string of word tokens, a sentence comprising the matching string of word tokens, a paragraph comprising the matching string of word tokens, or a document comprising the matching string of word tokens. This embodiment enables the extraction of other portions of text than the whole document where a matching string is found. This is a significant simplification for a user, since the amount of manual post-analysis, in the form of searching the extracted documents in order to find the information of interest, that is needed can be minimized. Taken together with the preferred embodiment above the different portions of text can easily be found due to the way the natural language text corpus has been indexed and stored.

According to a second aspect of the invention a system for extracting information from a natural language text corpus based on a natural language query is provided. The system comprises a text analysis unit for analyzing a natural language text corpus and a natural language query with respect to surface structure of word tokens and surface syntactic roles of constituents. To the analysis unit storage means for storing the analyzed natural language text corpus are operatively connected to said text analysis unit. Furthermore the system comprises an indexer, operatively connected to the storage means, for indexing the analyzed natural language text corpus, and an index, operatively connected to the indexer, for storing said indexed analyzed natural language text corpus. The system also comprises a query manager, operatively connected to the text analysis unit, comprising means for creating surface variants of the natural language query, said surface variants being equivalent to said natural language query with respect to lexical meaning of word tokens and surface syntactic roles of constituents, and means for comparing said

surface variants and the analyzed natural language query with the indexed analyzed natural language text corpus in said index. Finally, the system comprises a result manager, operatively connected to the index, for

5 extracting, from the indexed and stored analyzed natural language text corpus, each portion of text comprising a string of word tokens that matches any one of the surface variants or the analyzed natural language query.

Thus, by recognizing the fact that there is more
10 information regarding the meaning of a natural language text inherent in the surface structural and semantic relations between constituents and word tokens of the natural language text, and by using an expansion of a natural language query into surface variants that
15 maintain the lexical meaning of word tokens and surface syntactic roles of constituents of the original natural language query, an improved method for information extraction can be achieved that is fast, reliable and that has a high precision.

20

Brief Description of the drawings

In the following, the present invention is illustrated by way of example and not limitation with reference to the accompanying drawings, in which:

25 figure 1 is a flowchart of a method according to the invention;

figure 2 is an illustration of an example of a natural language query and its constituents;

figure 3A-C are illustrations of the natural
30 language query of figure 2 and surface variants thereof; and

figure 4 is a schematic diagram of a system according to the invention.

35 Detailed Description of the Invention

Figure 1 is a flowchart of a method according to the invention. In the method information is extracted from a

natural language text corpus based on a natural language query. One example of a natural language text corpus is a subset of the information found in web servers on the Internet. To be able to use linguistic properties of the text corpus in order to match a natural language text query against the natural text corpus the natural language text corpus is analyzed, in step 102, with respect to surface structure of the word tokens and the surface syntactic roles of the constituents of the natural language text corpus. This is done in order to determine morpho-syntactic description for each word token, locate phrases, determine a phrase type for each of the phrases, and locate clauses. The morpho-syntactic description comprises a part-of-speech and an inflectional form, and the phrase types comprise subject noun phrase, object noun phrase, other noun phrases and prepositional phrases. A clause can be defined as a unit of information that roughly corresponds to a simple proposition, or fact. An example of an analyzed clause will be described below with reference to figure 2.

After the natural language text corpus has been analyzed it is indexed and stored in step 104 of figure 1. In this step the spaces between each word token are numbered consecutively, whereby the location of each word token is uniquely defined by the numbers of the two spaces it is located between in the natural language text corpus. These two numbers form a unique word token location identifier. An alternative numbering scheme where each word token is consecutively numbered is also within the scope of the invention. Since each word token is associated with a word type it is sufficient to store all of the word types of the natural language text corpus and then, for each of the stored word types, store the word token location identifier of each word token associated to this word type. Furthermore, the location of a phrase is uniquely defined by the number of the space preceding the first word token of the phrase and

the number of the space succeeding the last word token of the phrase. These two numbers form a phrase location identifier. Thus, each phrase type is stored and the phrase location identifier of each of the phrases of this phrase type is stored. Note that, due to the way the phrase location identifier is defined, it is easy to find out whether a word token is of a certain type by determining whether the word token location identifier is within a phrase of this type. The location of a clause is uniquely defined by the number of the space preceding the first word token and the number of the space succeeding the last word token of the clause. These two numbers form a clause location identifier. Each of the clause location identifiers is stored. A sentence, a paragraph, and a document location identifier is formed in an equivalent manner and each of them are stored. After step 104 a natural language query is analyzed, in step 106, in the same manner as the natural language text corpus was analyzed in step 102.

In step 108 of figure 1, a number of surface variants of the analyzed natural language query are created. The surface variants are created in such a manner that the lexical meaning of word tokens and the surface syntactic roles of constituents of the natural language query are preserved. In other words, each word token of the natural language query may be replaced with one or more word tokens that have the same lexical meaning and the word tokens may be rearranged as long as each constituent of a variant has an equivalent surface syntactic role as the corresponding one in the natural language query. A surface syntactic role is for example, head, modifier, subject noun phrase, object noun phrase etc. An example of a number of variants of a query will be described below with reference to figure 3A-C.

When the surface variants have been created they and the natural language query are compared, in step 110 of figure 1, with stored natural language text corpus. In

the comparison a word token in a surface variant is compared with the stored word types of the natural language text corpus and the word token location identifiers of the word tokens of the same word type as the word token in the surface variant are identified. The identified word token location identifiers are then used to determine the word tokens in the natural language text corpus that are included in a phrase of the same type as the word token in the surface variant. This is done by searching the phrase location identifiers associated with the phrase type the word token in the surface variant is included in and determining which of the identified word token location identifiers are included in one of these phrase location identifiers. This comparison is done for each word token in the variant and except for determining if the word token is included in the same phrase type it is determined if the word tokens are included in the same clause. This can be done easily by determining if the word token location identifiers are included in the same clause location identifier.

When all the surface variants and the natural language query has been compared in step 110, each portion of text comprising a string of word tokens that matches any one of the surface variants or the analyzed natural language query are extracted in step 112 of figure 1. A string of word tokens in the natural language text corpus matches a surface variant if it comprises the head words of phrases bearing the grammatical relations of subject, object, and lexical main verb in the surface variant in the same linear order as in the surface variant.

Finally, in step 114 of figure 1, the extracted portions of text are organized. This is done such that the portions of text are grouped according to degree of correspondence with the query with respect to lexical, meaning of word tokens and surface syntactic roles of constituents. The degree of correspondence can be

described such that a constituent in a portion of text having the same lemma as the equivalent constituent of the query is considered to have a higher degree of correspondence than a constituent in a portion of text being a synonym to the equivalent constituent of the query. Furthermore, the extracted portions of text are organized such that said portions of text are grouped according to sameness of grammatical subject, grammatical object, and lexical main verb.

In the following an example of an analyzed natural language query will be given with reference to figure 2. In the examples a number of abbreviations will be used which are explained in the table below:

Abbreviation	Description
AT	Article
NN	Singular noun
VBD	Verb, past tense
nps	Subject noun phrase
npo	Object noun phrase
vp	Verb phrase.

In figure 2, an illustration of an example of a natural language query and its constituents and grammatical relations are shown. Note that this could just as well be a part of a natural language text corpus. The example query is "the enemy destroyed the city". The query is in this case a single clause that has the two main constituents "the enemy" which is a subject noun phrase nps and "destroyed the city" which is a verb phrase vp. The constituent "the enemy" in turn consists of the two constituents "the" which is an article AT and "enemy" which is a singular noun NN. The constituent "destroyed the city" consists of the two constituents "destroyed" which is a verb in past tense VBD and "the city" which is a object noun phrase npo. The constituent "the city" in turn consists of the constituents "the"

which is an article AT and "city" which is a singular noun NN.

In figure 3A-C illustrations of the natural language query of figure 2 and two different surface variants thereof are given. The method for generating variants of a linguistic expression that constitutes a query is partly based on Zellig Harris' notion of transformation as defined in Harris, Z., Co-occurrence and transformation in linguistic structure, Language 33 (1957), pp 283 - 340, with the important difference that the method of the present invention makes use of the notion of 'initial clause' where Harris uses the traditional notion 'sentence'. For a description of 'initial clause', reference is made to the co-pending Swedish patent application 0002034-7, entiteled "Method for segmentation of text", incorporated herein by reference and assigned to the assignee hereof.

Harris' 1957 paper defines a formal relation among sentences, by virtue of which one sentence structure may be called a transform of another sentence. This relation is based on comparing the individual co-occurrences of morphemes. By investigating the individual co-occurrences of morphemes in sentences, it is possible to characterize the distribution of classes of morphemes that are not easily defined in ordinary linguistic terms. Harris' transformations are defined based on two structures having the same set of individual co-occurrences of morphemes: "If two or more constructions which contain the same n classes (whatever else they may contain) occur with the same n -tuples of members of these classes in the same sentence environment, we say that the constructions are transforms of each other, and that each may be derived from any other of them by a particular transformation."

In the examples in figure 3A-3C illustrating a natural language query and transformations to surface variants thereof, the following notation for morpheme and

word classes is used: N (noun), V (verb), v (tense and verb auxiliary class), T (article), P (preposition), C (conjunction), and D (adverb).

For example, the constructions N v V N (a sentence) in figure 3A and N's Ving N (a noun phrase) in figure 3B are satisfied by the same triplets N, V, N (*enemy, destroy, city*) so that any choice of members which we find in the sentence, we also find in the noun phrase and vice versa: *The enemy destroyed the city, the enemy's destroying the city*. Where the class members are identical in the two or more constructions, Harris calls the transformation reversible, and writes it as $N_1 v V N_2 \leftrightarrow N_1's Ving N_2$ (and the set of triples for the first = the set for the second). The same subscript means the same member of the class: the second appearance of N_1 indicates the same morpheme as the first N_1 . This example illustrates a first generic transformation that is used when creating surface variants of a natural language query. The transformation has the property that it maintains the lexical meaning of word tokens and surface syntactic roles of constituents of the natural language query. Thus, if we have the natural language query of figure 3A the surface variant of figure 3B can be created using the transformation:

$$N_1 v V N_2 \rightarrow N_1's Ving N_2$$

In some cases, all the n-tuples which satisfy one construction (i.e. for which that construction actually occurs) also satisfy the other construction, but not vice versa. For example, every triple of N_1 , V, and N_2 in the $N_1 v V N_2$ 'active' sentence in figure 3A can also be found, in reverse order, in the $N_2 v be Ven by N_1$ 'passive' sentence in figure 3C: *The enemy destroyed the city, The city was destroyed by the enemy*. This example illustrates a second generic transformation that is used when creating surface variants of a natural language query.

The transformation also has the property that it maintains the lexical meaning of word tokens and surface syntactic roles of constituents of the natural language query. Thus, if we have the natural language query of figure 3A the surface variant of figure 3C can be created using the transformation:

$$N_1 \text{ v } V \text{ N}_2 \rightarrow N_2 \text{ v be Ven by } N_1$$

- 10 Note that some triplets only satisfy the second sequence and not the first: The wreck was seen by the seashore. Such cases Harris calls one-directed or nonreversible transformations: $N_1 \text{ v } V \text{ N}_2 \rightarrow N_2 \text{ v be Ven by } N_1$.

- 15 These two types of transformations for creating surface variants are only examples. Other similar transformations are obvious to the person skilled in the art and are considered to be within the scope of the invention.

- Turning now to figure 4, a schematic diagram of a system according to the invention is shown. The system comprises a text analysis unit 402, memory means 404, an indexer 406, an index 408, a query manager 410, a result manager 412, means 420 for creating surface variants, comparing means 422. The text analysis unit 402 is arranged to analyze a natural language text input, such as a natural language query or a natural language text corpus. The analysis is done in order to determine a morpho-syntactic description for each word token of the natural language input, locate phrases in the natural language input, determine a phrase type for each of the phrases, and locate clauses in the natural language input. The morpho-syntactic description comprises a part-of-speech and an inflectional form, and the phrase types comprises subject noun phrase, object noun phrase, other noun phrases and prepositional phrases.

In figure 4, the memory means 404, operatively connected to the text analysis unit 402, are arranged to

store a natural language text corpus that has been analyzed by the text analysis unit 402. Furthermore, the indexer 406, operatively connected to the memory means 404, is arranged to index a natural language text corpus that is stored in the memory means 404. The indexing is based on a numbering scheme where the spaces between each word token are numbered consecutively. An alternative numbering scheme where each word token is consecutively numbered is also within the scope of the invention. Each word token is then defined by its word type and the numbers of the two spaces it is located between in the natural language text corpus. The two numbers of the spaces between which a word token is located form a word token location identifier for this word token.

Furthermore, a phrase is uniquely defined by its phrase type and the number of the space preceding the first word token of the phrase and the number of the space succeeding the last word token of the phrase. The number of the space preceding the first word token of a phrase and the number of the space succeeding the last word token of the phrase form a phrase location identifier for this phrase. Similarly, a clause, a sentence, a paragraph and a document location identifier, respectively, is defined as the number of the space preceding the its first word token and the number of the space succeeding its last word token. The word types, word token location identifiers, phrase types, phrase location identifiers, clause location identifiers, paragraph location identifiers, sentence location identifiers and document location identifiers are stored in the index that is operatively connected to the indexer. The logical structure of the index is shown in the table below:

Text Unit	Location Identifiers <i,j>
word type 1	Word token location identifiers
word type 2	Word token location identifiers
...	
word type n	Word token location identifiers
nps	Phrase location identifiers
npo	Phrase location identifiers
npx	Phrase location identifiers
pp	Phrase location identifiers
cl	Clause location identifiers
s	Sentence location identifiers
p	Paragraph location identifiers
doc	Document location identifiers

Where nps = subject noun phrase, npo = object noun phrase, npx = other noun phrase, pp = prepositional phrase, cl = clause, s = sentence, p = paragraph and doc = document. The logical structure of the index illustrated in the table is based on a hierarchy of text units that are related by inclusion. The purpose of the multi-layered structure of the index is that, in combination with the invention's shared location system for text units of different kinds, it supports a search technique that permits rapid access to those corpus text units that match the set of complex constraints imposed by a given query and its surface variants.

In figure 4, the query manager 410 is operatively connected to the text analysis unit 402 and comprises means 420 for creating surface variants of a natural language query that has been analyzed in the text analysis unit 402. The created surface variants all have the property that the lexical meaning of its word tokens

and the surface syntactic roles of its constituents are equivalent to the lexical meaning of the word tokens of the natural language query and the surface syntactic roles of the constituents of the natural language query, respectively. In other words, when a surface variant is created, each word token of the natural language query may be replaced with one or more word tokens that have the same lexical meaning and the word tokens may be rearranged as long as each constituent of a variant has an equivalent surface syntactic role as the corresponding one in the natural language query. A surface syntactic role is for example, head, modifier, subject noun phrase, object noun phrase etc. Furthermore, the query manager comprises comparing means 422 for comparing the surface variants created in the surface variant unit and the natural language query with analyzed natural language text corpus stored in the index. The comparing means 422 use the structure of the index in order to do the comparison. By determining the word type of a word token in a surface variant the word token location identifiers index associated with the determined word type can be identified in the index. Furthermore, since the phrase type the word token is in has been determined in the text analysis unit, it can be determined which of the identified word token location identifiers are included in a phrase of the same type as the word token in the surface variant. This is done by searching the phrase location identifiers associated with the phrase type the word token in the surface variant is included in and determining which of the identified word token location identifiers are included in one of these phrase location identifiers. This comparison is done for each word token in the variant and except for determining if the word token is included in the same phrase type, the index is used to determine if the word tokens are included in the same clause.

Finally, in figure 4, the system comprises a result manager 412, operatively connected to the index 412, for extracting each portion of text comprising a string of word tokens that matches any one of the surface variants or the natural language query. A string of word tokens in the natural language text corpus matches a surface variant if it comprises the main words of phrases bearing the grammatical relations of subject, object, and lexical main verb in the surface variant in the same linear order as in the surface variant. The portion of text to be extracted can be chosen as the string of word tokens itself or the clause, the sentence, the paragraph or the document that the string of word tokens are included in. The extraction means use the index to find the proper clause, sentence, paragraph and document by consulting the respective location identifiers in the index.

CLAIMS

1. A method for extracting information from a natural language text corpus based on a natural language query, comprising the steps of:
 - analyzing said natural language text corpus with respect to surface structure of word tokens and surface syntactic roles of constituents;
 - indexing and storing the analyzed natural language text corpus;
 - analyzing a natural language query with respect to surface structure of word tokens and surface syntactic roles of constituents;
 - creating one or more surface variants of the analyzed natural language query, said one or more surface variants being equivalent to said natural language query with respect to lexical meaning of word tokens and surface syntactic roles of constituents;
 - comparing said one or more surface variants and said analyzed natural language query with the indexed and stored analyzed natural language text corpus; and
 - extracting from said indexed and stored analyzed natural language text corpus, each portion of text comprising a string of word tokens that matches any one of said surface variants or said analyzed natural language query.
2. The method according to claim 1, wherein, in the step of creating, said surface syntactic roles of constituents are head and modifier roles, and grammatical relations.
3. The method according to claim 1, wherein, in the step of extracting, a string of word tokens in said indexed and stored analyzed natural language text corpus matches one of said surface variants or said analyzed natural language query if it comprises the head words of

phrases bearing the grammatical relations of subject, object, and lexical main verb in said one of said surface variants or said analyzed natural language query in the same linear order as in said one of said surface variants
 5 or said analyzed natural language query.

4. The method according to claim 1, wherein, in the step of analyzing a natural language query, said natural language query is analyzed in the same manner as said
 10 natural language text corpus is analyzed in the step of analyzing said natural language text corpus.

5. The method according to claim 1, wherein the step of analyzing a natural language text corpus comprises the
 15 steps of:

determining a morpho-syntactic description for each word token of said natural language text corpus;

locating phrases in said natural language text corpus;

20 determining a phrase type for each of said phrases; and

locating clauses in said natural language text corpus,

and wherein the step of analyzing a natural language query comprises the steps of:

25 determining a morpho-syntactic description for each word token of said natural language query; and

locating phrases in said natural language query;

determining a phrase type for each of said phrases;

30 and

locating clauses in said natural language query.

6. The method according to claim 5, wherein the step of indexing and storing comprises the steps of:

35 providing, for each word token of said natural language text corpus with, a unique word token location identifier;

storing information regarding the location of each word token of said natural language text corpus, based on said unique word token location identifiers;

storing, for each phrase type, information regarding
5 the location of each phrase of this type in said natural language text corpus, based on said unique word token location identifiers; and

storing information regarding the location of each clause in said natural language text corpus, based on
10 said unique word token location identifiers.

7. The method according to claim 6, wherein each word token is associated with a word type, and wherein the step of storing information regarding the location of
15 each word token comprises the steps of:

storing each word type of said natural language text corpus; and

storing, for each word token, its unique word token location identifier logically linked to the stored
20 associated word type.

8. The method according to claim 7, wherein the step of storing information regarding the locations of phrases comprises the steps of:

25 providing, for each phrase of said natural language text corpus, a unique phrase location identifier identifying the word tokens spanned by the phrase;

storing each phrase type of said natural language text corpus; and

30 storing, for each phrase, its unique phrase location identifier logically linked to the stored associated phrase type.

9. The method according to claim 8, wherein the step
35 of storing information regarding the locations of clauses comprises the steps of:

providing, for each clause of said natural language text corpus, a unique clause location identifier identifying the word tokens and phrases spanned by the clause;

- 5 storing, for each clause, its unique clause location identifier.

10. The method according to claim 9, further comprising the steps of:

- 10 locating sentences in said natural language text corpus; and

providing, for each sentence of said natural language text corpus, a unique sentence location identifier identifying the word tokens, phrases and

- 15 clauses spanned by the sentence;

storing, for each sentence, its unique sentence location identifier.

11. The method according to claim 10, further comprising the steps of:

- 20 locating paragraphs in said natural language text corpus;

providing, for each paragraph of said natural language text corpus, a unique paragraph location identifier identifying the word tokens, phrases, clauses

- 25 and sentences spanned by the paragraph;

storing, for each paragraph, its unique paragraph location identifier.

12. The method according to claim 11, further comprising the steps of:

- 30 locating documents in said natural language text corpus;

providing, for each document of said natural language text corpus, a unique document location identifier identifying the word tokens, phrases, clauses, sentences and paragraphs spanned by the document;

- 35

storing, for each document, its unique document location identifier.

13. The method according to claim 1, wherein, in the
 5 step of extracting, a portion of text that is extracted
 is either the matching string of word tokens, a clause
 comprising the matching string of word tokens, a sentence
 comprising the matching string of word tokens, a
 paragraph comprising the matching string of word tokens,
 10 or a document comprising the matching string of word
 tokens.

14. The method according to claim 1, further
 comprising the step of:
 15 organizing the extracted information according to
 degree of correspondence with the query with respect to
 lexical meaning of word tokens and surface syntactic
 roles of constituents, such that a constituent in a
 portion of text having the same lemma as the equivalent
 20 constituent of the query is considered to have a higher
 degree of correspondence than a constituent in a portion
 of text being a synonym to the equivalent constituent of
 the query.

15. The method according to claim 1, further
 comprising the step of:
 organizing the extracted information such that said
 portions of text are grouped according to sameness of
 grammatical subject, grammatical object, and lexical main
 30 verb.

16. A system for extracting information from a
 natural language text corpus based on a natural language
 query, comprising:
 35 a text analysis unit for analyzing a natural
 language text corpus and a natural language query with

respect to surface structure of word tokens and surface syntactic roles of constituents;

storage means operatively connected to said text analysis unit, for storing the analyzed natural language
5 text corpus;

an indexer, operatively connected to said storage means, for indexing the analyzed natural language text corpus;

an index, operatively connected to said indexer, for
10 storing said indexed analyzed natural language text corpus;

a query manager, operatively connected to said text analysis unit, comprising means for creating surface variants of said natural language query, said surface
15 variants being equivalent to said natural language query with respect to lexical meaning of word tokens and surface syntactic roles of constituents, and means for comparing said surface variants and said analyzed natural language query with the indexed analyzed natural language
20 text corpus in said index; and

a result manager operatively connected to said index, for extracting, from said indexed and stored analyzed natural language text corpus, each portion of text comprising a string of word tokens that matches any
25 one of said surface variants or said analyzed natural language query.

17. The system according to claim 16, wherein a
30 string of word tokens in said indexed and stored analyzed natural language text corpus matches one of said surface variants or said analyzed natural language query if it comprises the head words of phrases bearing the grammatical relations of subject, object, and lexical main verb in said one of said surface variants or said
35 analyzed natural language query in the same linear order as in said one of said surface variants or said analyzed natural language query.

18. The system according to claim 16, wherein said
index comprises multiple indexes based on a hierarchy of
5 text units that are related by inclusion.

19. A computer readable medium having computer-
executable instructions for a general-purpose computer to
perform the steps recited in claim 1.

10

20. A computer program comprising computer-
executable instructions for performing the steps recited
in claim 1.

ABSTRACT

A method and a system for extracting information from a natural language text corpus based on a natural language query are disclosed. In the method the natural language text corpus is analyzed with respect to surface structure of word tokens and surface syntactic roles of constituents, and the analyzed natural language text corpus is then indexed and stored. Furthermore a natural language query is analyzed with respect to surface structure of word tokens and surface syntactic roles of constituents. From the analyzed natural language query one or more surface variants are then created, where these surface variants are equivalent to the natural language query with respect to lexical meaning of word tokens and surface syntactic roles of constituents. The surface variants are then compared with the indexed and stored analyzed natural language text corpus, and each portion of text comprising a string of word tokens that matches the any one of the surface variants or the natural language query is extracted from the indexed and stored analyzed natural language text corpus.

25

Elected for publication: Figure 1




Figure 1

2/3




Figure 2




Figure 3A




Figure 3B

the city was destroyed by the enemy
 N_2 be v V v N_1

Figure 3C




Figure 4

**COMBINED DECLARATION AND POWER OF ATTORNEY
FOR UTILITY PATENT APPLICATION**

Attorney's Docket No.

003300-650

As a below-named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name;

I BELIEVE I AM THE ORIGINAL, FIRST AND SOLE INVENTOR (if only one name is listed below) OR AN ORIGINAL, FIRST AND JOINT INVENTOR (if more than one name is listed below) OF THE SUBJECT MATTER WHICH IS CLAIMED AND FOR WHICH A PATENT IS SOUGHT ON THE INVENTION ENTITLED:

METHOD AND SYSTEM FOR INFORMATION EXTRACTION

the specification of which

(check one)

☒ is attached hereto;

☐ was filed on _____ as

Application No. _____

and was amended on _____;
(if applicable)

I HAVE REVIEWED AND UNDERSTAND THE CONTENTS OF THE ABOVE-IDENTIFIED SPECIFICATION, INCLUDING THE CLAIMS, AS AMENDED BY ANY AMENDMENT REFERRED TO ABOVE;


I ACKNOWLEDGE THE DUTY TO DISCLOSE TO THE OFFICE ALL INFORMATION KNOWN TO ME TO BE MATERIAL TO PATENTABILITY AS DEFINED IN TITLE 37, CODE OF FEDERAL REGULATIONS, Sec. 1.56 (as amended effective March 16, 1992);

I do not know and do not believe the said invention was ever known or used in the United States of America before my or our invention thereof, or patented or described in any printed publication in any country before my or our invention thereof or more than one year prior to said application; that said invention was not in public use or on sale in the United States of America more than one year prior to said application; that said invention has not been patented or made the subject of an inventor's certificate issued before the date of said application in any country foreign to the United States of America on any application filed by me or my legal representatives or assigns more than twelve months prior to said application;

I hereby claim foreign priority benefits under Title 35, United States Code Sec. 119 and/or Sec. 365 of any foreign application(s) for patent or inventor's certificate as indicated below and have also identified below any foreign application for patent or inventor's certificate on this invention having a filing date before that of the application(s) on which priority is claimed:

COMBINED DECLARATION AND POWER OF ATTORNEY			Attorney's Docket No. 003300-650																																																																																					
COUNTRY/INTERNATIONAL	APPLICATION NUMBER	DATE OF FILING (day, month, year)	PRIORITY CLAIMED																																																																																					
Sweden	0002368-9	22/6/00	YES _x NO																																																																																					
			YES NO																																																																																					
<p>I hereby appoint the following attorneys and agent(s) to prosecute said application and to transact all business in the Patent and Trademark Office connected therewith and to file, prosecute and to transact all business in connection with international applications directed to said invention:</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 33%;">William L. Mathis</td> <td style="width: 10%; text-align: right;">17,337</td> <td style="width: 33%;">James A. LaBarre</td> <td style="width: 10%; text-align: right;">26,632</td> <td style="width: 33%;">Marlow L. Schneider</td> <td style="width: 10%; text-align: right;">32,814</td> </tr> <tr> <td>Peter H. Smolka</td> <td style="text-align: right;">15,913</td> <td>E. Joseph Gess</td> <td style="text-align: right;">28,510</td> <td>Michael G. Savage</td> <td style="text-align: right;">32,596</td> </tr> <tr> <td>Robert S. Swecker</td> <td style="text-align: right;">19,885</td> <td>R. Danny Huntington</td> <td style="text-align: right;">27,903</td> <td>Gerald F. Swiss</td> <td style="text-align: right;">30,113</td> </tr> <tr> <td>Platon N. Mandros</td> <td style="text-align: right;">22,124</td> <td>Eric H. Weisblau</td> <td style="text-align: right;">30,505</td> <td>Michael J. Ure</td> <td style="text-align: right;">33,089</td> </tr> <tr> <td>Benton S. Duffett, Jr.</td> <td style="text-align: right;">22,030</td> <td>James W. Peterson</td> <td style="text-align: right;">26,057</td> <td>Charles F. Wieland III</td> <td style="text-align: right;">33,096</td> </tr> <tr> <td>Norman H. Stepno</td> <td style="text-align: right;">22,716</td> <td>Teresa Stanek Rea</td> <td style="text-align: right;">30,427</td> <td>Bruce T. Wieder</td> <td style="text-align: right;">33,815</td> </tr> <tr> <td>Ronald L. Grudzicki</td> <td style="text-align: right;">24,970</td> <td>Robert E. Krebs</td> <td style="text-align: right;">25,885</td> <td>Todd R. Walters</td> <td style="text-align: right;">34,040</td> </tr> <tr> <td>Frederick G. Michaud, Jr.</td> <td style="text-align: right;">26,003</td> <td>William C. Rowland</td> <td style="text-align: right;">30,888</td> <td>Ronni S. Jillions</td> <td style="text-align: right;">31,979</td> </tr> <tr> <td>Alan E. Kopecki</td> <td style="text-align: right;">25,813</td> <td>T. Gene Dillahunty</td> <td style="text-align: right;">25,423</td> <td>Harold R. Brown III</td> <td style="text-align: right;">36,341</td> </tr> <tr> <td>Regis E. Slutter</td> <td style="text-align: right;">26,999</td> <td>Patrick C. Keane</td> <td style="text-align: right;">32,858</td> <td>Allen R. Baum</td> <td style="text-align: right;">36,086</td> </tr> <tr> <td>Samuel C. Miller III</td> <td style="text-align: right;">27,360</td> <td>Bruce J. Boggs, Jr.</td> <td style="text-align: right;">32,344</td> <td>Steven M. du Bois</td> <td style="text-align: right;">35,023</td> </tr> <tr> <td>Ralph L. Freeland, Jr.</td> <td style="text-align: right;">16,110</td> <td>William H. Benz</td> <td style="text-align: right;">25,952</td> <td>Brian P. O'Shaughnessy</td> <td style="text-align: right;">32,747</td> </tr> <tr> <td>Robert G. Mukai</td> <td style="text-align: right;">28,531</td> <td>Peter K. Skiff</td> <td style="text-align: right;">31,917</td> <td></td> <td></td> </tr> <tr> <td>George A. Hovanec, Jr.</td> <td style="text-align: right;">28,223</td> <td>Richard J. McGrath</td> <td style="text-align: right;">29,195</td> <td></td> <td></td> </tr> </table>					William L. Mathis	17,337	James A. LaBarre	26,632	Marlow L. Schneider	32,814	Peter H. Smolka	15,913	E. Joseph Gess	28,510	Michael G. Savage	32,596	Robert S. Swecker	19,885	R. Danny Huntington	27,903	Gerald F. Swiss	30,113	Platon N. Mandros	22,124	Eric H. Weisblau	30,505	Michael J. Ure	33,089	Benton S. Duffett, Jr.	22,030	James W. Peterson	26,057	Charles F. Wieland III	33,096	Norman H. Stepno	22,716	Teresa Stanek Rea	30,427	Bruce T. Wieder	33,815	Ronald L. Grudzicki	24,970	Robert E. Krebs	25,885	Todd R. Walters	34,040	Frederick G. Michaud, Jr.	26,003	William C. Rowland	30,888	Ronni S. Jillions	31,979	Alan E. Kopecki	25,813	T. Gene Dillahunty	25,423	Harold R. Brown III	36,341	Regis E. Slutter	26,999	Patrick C. Keane	32,858	Allen R. Baum	36,086	Samuel C. Miller III	27,360	Bruce J. Boggs, Jr.	32,344	Steven M. du Bois	35,023	Ralph L. Freeland, Jr.	16,110	William H. Benz	25,952	Brian P. O'Shaughnessy	32,747	Robert G. Mukai	28,531	Peter K. Skiff	31,917			George A. Hovanec, Jr.	28,223	Richard J. McGrath	29,195		
William L. Mathis	17,337	James A. LaBarre	26,632	Marlow L. Schneider	32,814																																																																																			
Peter H. Smolka	15,913	E. Joseph Gess	28,510	Michael G. Savage	32,596																																																																																			
Robert S. Swecker	19,885	R. Danny Huntington	27,903	Gerald F. Swiss	30,113																																																																																			
Platon N. Mandros	22,124	Eric H. Weisblau	30,505	Michael J. Ure	33,089																																																																																			
Benton S. Duffett, Jr.	22,030	James W. Peterson	26,057	Charles F. Wieland III	33,096																																																																																			
Norman H. Stepno	22,716	Teresa Stanek Rea	30,427	Bruce T. Wieder	33,815																																																																																			
Ronald L. Grudzicki	24,970	Robert E. Krebs	25,885	Todd R. Walters	34,040																																																																																			
Frederick G. Michaud, Jr.	26,003	William C. Rowland	30,888	Ronni S. Jillions	31,979																																																																																			
Alan E. Kopecki	25,813	T. Gene Dillahunty	25,423	Harold R. Brown III	36,341																																																																																			
Regis E. Slutter	26,999	Patrick C. Keane	32,858	Allen R. Baum	36,086																																																																																			
Samuel C. Miller III	27,360	Bruce J. Boggs, Jr.	32,344	Steven M. du Bois	35,023																																																																																			
Ralph L. Freeland, Jr.	16,110	William H. Benz	25,952	Brian P. O'Shaughnessy	32,747																																																																																			
Robert G. Mukai	28,531	Peter K. Skiff	31,917																																																																																					
George A. Hovanec, Jr.	28,223	Richard J. McGrath	29,195																																																																																					
<p>and: _____</p> <p>Address all correspondence to: Benton S. Duffett, Jr. BURNS, DOANE, SWECKER & MATHIS, L.L.P. P.O. Box 1404 Alexandria, Virginia 22313-1404</p> <p>Address all telephone calls to: Benton S. Duffett, Jr. at (703) 836-6620.</p> <p>I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.</p>																																																																																								
FULL NAME OF SOLE OR FIRST INVENTOR		SIGNATURE	DATE																																																																																					
Eva Ingegord Ejerhed		<i>Eva Ingegord Ejerhed</i>	21/06/00																																																																																					
RESIDENCE		CITIZENSHIP																																																																																						
STOCKHOLM, Sweden		Swedish																																																																																						
POST OFFICE ADDRESS																																																																																								
Tomtebgatan 14, 113 39 STOCKHOLM																																																																																								
FULL NAME OF SECOND JOINT INVENTOR, IF ANY		SIGNATURE	DATE																																																																																					
Peter A. Braroe		<i>Peter A. Braroe</i>	21/06/00																																																																																					
RESIDENCE		CITIZENSHIP																																																																																						
Tomtebgatan 14, 113 39 STOCKHOLM		Swedish																																																																																						
POST OFFICE ADDRESS																																																																																								
FULL NAME OF THIRD JOINT INVENTOR, IF ANY		SIGNATURE	DATE																																																																																					
RESIDENCE		CITIZENSHIP																																																																																						
POST OFFICE ADDRESS																																																																																								

United States Patent & Trademark Office
Office of Initial Patent Examination -- Scanning Division



Application deficiencies were found during scanning:

☒ Page(s) 3 of 3 of Declaration were not present
for scanning. (Document title)

☐ Page(s) _____ of _____ were not present
for scanning. (Document title)

☐ Scanned copy is best available.